=1955= 62.41 Algenfritz, Margaret Monroe, Mich Each Aerides odoratum: Plant is large and becomes a nice specimen. Leaves are 6-9 inches long and about 1 1/2 inches broad. Racemes are arched, about 10 inches long. Flowers are-large creamy-white, tipped and blotched with magenta. Very fragrant. Summer. 4.00 Arpophyllum spicatum: Narrow stem-like pseudobulbs hearing a coriaceous, narrow leaf. Dense, cylindrical racemes of flowers are borne at the base of the leaf. This species has pale rose-purple blooms with a bright-purple lip. Early spring. 3.50 Brassavolae cucullata: Plant about 12 inches tall with rush like foliage. Flowers are hard-textured, white, shaded green, about 2 inches in size. Fall 4,00 Brassia maculata: Pseudobulbs 3-4 inches high very compressed. Leaves 6-8 inches long, 6 to 10 flowers are borne on scapes about 12 inches long. Flowers are large, sepals and petals greenish-yellow, spotted basally with brown. Lip is spreading, whitish, spotted with purple and brown. Summer. 4,00 Catasetum splendens: A variable Catasetum, very handsome. Possibly a hybrid between C, macrocarpum and C, pileatum. Flowers are large, from white to almost crimson. Autumn, 4.00 Cattleya aurantiaca: A clear orange-red flower, about 3 inches in size. Plant about 15 inches tall, Summer. 4.50 Catteya Bowringeana: The very well-known, bifoliate Cattleya which produces quantities of blooms about 3 inches in size. Rose-pupple sepals and petals with much darker color on front lobe of lip Autumn. 4.50 Cattleya guttata var Leopoldi; Similar to guttata but with more flowers, Sepals and petals bronze, spotted with crimson. Lip rich crimsonpurple. Late summer. 4.50 Cattleya guttata: Cylindrical pseudobulbs about 18 inches tall with leathery leaves. Spikes are many-flowered with fleshy blooms about 3 inches across. Sepals and petals tawny-yellow, densely spotted with 4.50 crimson. Lip rose-purple. Late summer. Comparettia falcata: Dwarf species with pseudobulbs about 1 inch high with a single leaf about 4 inches long. Slender scapes are about 7 inches long with six or more flowers. Blooms are crimson-red

3,50

and about 1 inch across. Summer.

Chysis laevis: Bulbs are fleshy and about 10 inches long, leaves about the same length. Spikes are strongly arched and produce four or more blooms. Sepals and petals orange-wellow, lip marked with crimson. Early summer.

Cypripedium bellatulum: Dwarf habit. Flowers shell-shaped, creamy white, spotted and marked uniformly with purple-mamon. Lip egg-shaped, sparcely spotted. Summer and various.

4.00

Cypripedium callosum: Marbled foliage. Dorsal sepal white with purple striping which follows the contour of the dorsal. Petals green at base, tips touched with purple. Pouch purplish-green. Winter to summer. 4.00

Cypripedium concolor: Rather dwarf habit, marbled leaves with grey color above, purplish beneath. Dorsal and petals yellow with reddish spots. Pouch whitish with smaller reddish spots. Early summer. 4.00

Cypripedium exul: Narrow grey leaves. Dorsal sepal pale yellow with small purple spots and green suffusion at the base with broad white margin. Petals yellow centered with purplish lines. Lip is yellow and shining. Various.

4.00

Cypripedium Godefroyae: Rather dwarf habit, green leaves. Sepals and petals creamy-yellow on white ground covered with blotches and spots of brown-purple. Summer.

4.00

Cypripedium villosum: Foliage green. Dorsal sepal green with brown striping, edged with white. Petals and pouch orange-yellow. Flowers are large and glossy. Dorsal sepal brownish-purple at base and center. Tips are greenish, margined with white. Petals are yellow-brown, lip brownish-yellow. Winter and early spring.

4.00

Dendrobium Dalhousieanum: (pulchellum) Tall-growing plant, young growths streaked with red. Flowers 3-5 inches across with 5 or more flowers on apical racemes. Sepals and petals tawny-yellow shaded with rose. Lip has 2 large crimson blotches. Spring.

Dendrobium Draconis: Pseudobulbs about 12 inches high, black-haired. Flowers are about 4 inches across, pure-white with orange-yellow stain on lip. Fragrant and long-lasting. Autumn.

4.00

Dendrobium Hildebrandii: Pseudobulbs about 15 inches high. Flowers in twos and threes from nodes 2-3 inches across. Sepals and petals pale yellow-twisted, lip rounded, orange with lighter-yellow margin. Spring.

	Each
Dendrobium infundibulum: Stems are balck-haired, about 12-15 inches high. Flowers 2 to 4 in apical clusters, large, about 4 inches across, pure-white, except for yellow stain on lip, which extends into the funnel-shaped throat. Spring and various.	3,50
Dendrobium moschatum var. cupreum: Erect stems, quite tall, about 2 feet. Racemes are 5 to 15 flowered from near the apices. Flowers 3-4 inches across, sepals and petals apricot-yellow, lip yellow with orange-colored spots. Summer.	3.50
Dendrobium ochreatum: Stems about 12 inches high, curved and knotted. Flowers are usually in pairs from nodes, 2-3 inches across. Sepals and petals bright orange-yellow. Lip has deep maroon blotch. Spring.	3,50
Dendrobium Parishii: Stems 12-18 inches high, stout, erect, or some times curved. Flowers often in threes from nodes, 2-3 inches across. Rich, dark-rose, in color, bearing two purplish blotches in the throat. Fragrant. Spring.	
Dendrobium senile: Bulbs erect, about 4 inches high. Flowers one or two from upper nodes, about 2 inches across, Clear-yellow. Needs a decided rest after growth is complete. Spring.	
Dendrobium thyrsiflorum: Bulbs about 15 inches tall, quite four-sided Flowers are 1-2 inches across, on long drooping stems. Sepals and petals white, sometimes pink-flushed, lip golden-orange. A fine species. Spring.	4.00
Diacrium bicornutum: Similar in appearance to Epidendrum, but the lip of the flower is in a different position. Stout pseudobulbs are hollow about 9 inches tall. Spikes bear many 2 inch blooms of white, spotted on the lip with purple. Fragrant. Summer.	», 3,50
Dichaea trichocarpa: Small tufted species. Grows easily with Cattleya Plants are floriflorus, producing small white, fleshy flowers. Lip is barred with blush-purple. Fragrant. Summer.	as. 3.50
Epidendrum aromaticum: Bulbs about 3 inches in size, foliage stiff, about 12 inches high. Flower spikes carry many small, greenishyellow blooms. Very fragrant. Spring.	4.00
Epidendrum brassavolae: Bulbs about 8 inches high, scapes are erect with 10 to 20 flowers. Blooms are large, sepals and petals yellow,	4 00

middle lobe of lip somewhat heart-shaped. Fragrant. Spring.

	Each
Epidendrum ciliare: A very lovely bloom about 4 inches in size. Sepals and petals greenish-white, lip pure white, very fringed. Plant is similar in habit to Cattleya and requires the same treatment. Winter.	4,00
Epidendrum cochleatum: The "Cockleshell" orchid. Bulbs and leaves about same height, about 5 inches each. Many flowers on each spike which follow each other as the last one falls off. Lip seems to be upside-down and is striped with purplish-black. Sepals and petals yellow ish-green. Various.	4.00
Epidendrum dichromum: Very handsome and variable. Pseudobulbs about 3 inches high. Leaves about 8 inches high, fleshy. Erect or arching scapes about 2 feet high. Flowers about 2 inches sepals and petals white or flushed with pale-rose. Lip is rose-yellow and white. Early summer.	4.50
Epidendrum fragrans: Pseudobulbs about 5 inches high, usually with 2 leaves. Flowers come on short spikes about 2 inches in size, about 5 to a spike. Sepals and petals creamy-white, lip white, streaked with reddish-purple. Fragrant. Summer and fall.	4.00
Epidendrum Parkinsonianum: Habit somewhat pendulous with small pseudobulbs. Almost pure-white flowers about 4 inches across. Summer.	4,50
Epidendrum pentotis: Pseudobulbs about 7 inches high with 2 leaves. Two to five 3 inch flowers on short spikes. Sepals and petals creamywhite, lip reflexed, striped with purple. Fragrant. Summer.	4.00
Epidendrum vitellinum: Oval pseudobulbs, about 3 inches high, gray-green foliage, about 8 inches long. Slender scapes produce cinnabar-red blooms about 1 1/2 inches across. Usually blooms on current growth before it is quite complete. Fall and various.	4,00
Laelia acuminata rosea: Dwarf is habit. Pseudobulbs 1-2 inches tall with a single leaf, about 4 inches long. Scapes slender, arching, about 10 inches long. Flowers are about 2 inches across, light-rose color with dark-maroon spot on lip. Four or more flowers to a spike. Winter.	4.00
Laelia cinnarbarina: Pseudobulbs about 6 inches high, cylindrical and tapering with 1 coriaceous leaf. Erect spikes bear six or more flowers Blooms are 2-3 inches across of bright cinnabar-red. Spring	. 4 50

Blooms are 2-3 inches across of bright cinnabar-red. Spring.

	Each
Laelia rubescens: Dwarf growing. Pseudobulbs about 2 inches high compressed with a single leaf about 4 inches long. Scapes are slender arching, 9 to 15 inches high, with about 6 flowers, about 2 inches across of white or flushed with rose and dark-maroon spot at base of line. Winter	
lip. Winter.	4,50
Laelia rupestris: Another dwarf form. Spikes are several flowered closely set, about 1 inch across. Color is purple-violet with a paler throat. Fall.	4 50
Laelia Xanthina: Pseudobulbs about 8 inches tall, single-leaved. Scapes are 2 to 5 flowered, about 3 inches across, sepals and petals clear-yellow, lip yellow, the front lobe white, veined and suffused with crimson-purple. Spring and early summer.	4.50
Lycaste skinneri: The most popular of the species. Height about 15 inches, flowers large and handsome, variable. Sepals white, more or less suffused with rose, petals smaller, usually marked with rose. Lip whitish, thickly spotted with rose and crimson. Winter	4.00
Lycaste skinneri alba: Same as above, but pure-white, the crest of the lip light-yellow. Very scarce. Winter.	20.00
Meiracyllium gemmae: Another dwarf plant which resembles Sophron- itis in habit. Leaves are small, fleshy, red-tinted. Flowers on shor racemes, sepals and petals subequal, slightly spreading lip continuous with base of column, all bright-amethyst in color. Spring.	rt
Miltonias spectabilis: Pseudobulbs flat-oval, at intervals on a creeping rhizome. Height of plant about 12 inches, foliage yellowish-green. Scapes are usually single-flowered. Flowers are large, nearly flat, sepals and petals creamy-white, rose-flushed at base. Lip is broad, spreading, rose-purple with deeper veining, margin pale-rose or whitish. Very handsome. Summer.	ng 5, 00
Mormodes lineata: Similar in habit to Catasetum. Scapes about 1 footlong, many-flowered, large, yellow, shaded with green, streaked and marked with reddish-brown. Very fragrant. Summer	
Odontoglossum bictoniense: A free-flowering Odontoglossum, bloomir more than once a year. Pseudobulbs oval, flatish, plant about 15 inch tall. Scapes are many-flowered, a little taller than the plant. Medium sized blooms, the sepals and petals being yellowish-green, blotched we chestnut-brown. Lip heart-shaped, pale-rose in color. Autumn and	nes m
	4 (1)(1)

various.

Odontoglossum cordatum: Pseudobulbs flatly oval, about 3 inches high, leaves about 6 inches long. Foot long scapes, sometimes branched, bear several flowers. Blooms are large, sepals pointed, chestnutbrown, tipped and marked at base with yellow. Petals shorter and broader, pale-yellow spotted and blotched with red-brown. Lip is heartshaped, pointed, white, spotted with brown. Spring. 4.00

Odontoglossum laeve: Pseudobulbs about 4 inches high, leaves about 10 inches high, scapes about 2 feet long, branched. Blooms fragrant, 2-3 inches across. Sepals and petals dark-brown, tipped and barred with greenish-yellow. Lip is deflexed, pale lilac-purple, white at apex. Spring.

4.00

Odontoglossum pulchellum: Very narrow pseudobulbs and grass-like foliage on plant about 12 inches high. Flowers are small, many on a spike, pure-white, except for yellow, fleshy disc to the lip. Sometimes called Lily of the Valley orchid. Fragrant. Spring.

4.00

Odontoglossum Rossi: A dwarf-growing plant, entire plant being not over 5 inches. Scapes are not much taller than the plant and bear 4 or 5 blooms 2-3 inches across. Sepals and petals white or roseflushed with dark reddish-brown spots. Lip is usually white with yellow crest. Winter. 3.50

Oncidium cebolleta: Pseudobulbs almost absent. Leaves about 8 inches long, stoutly terete-tapering, chancelled on the face. Scapes erect, many-flowered, and branched. Flowers are variable, about 1 1/2 inch across. Sepals and petals yellow, spotted with red-brown lip bright canary-yellow. A beautiful sight in bloom. Spring. 4.00

Oncidium Crispum: Pseudobulbs about 3 inches high, brownish, leaves about 8 inches high, scapes about 2 feet high, branched. Flowers large, variable, handsome, segments much crisped, sepals greenish-brown, yellow-spotted and marked with red at the base. Various. 5.00

Oncidium lanceanum: Pseudobulbless. Leaves about 20 inches high. Flowers large, fragrant, sepals and petals yellow, shaded with green, spotted with chocolate-brown. Lip rose-purple, darker at the base. Summer.

4.00

Oncidium leucochilum: Pseudobulbs about 3 inches high, leaves about 8 inches high, scapes about 4 feet long, branched, arched or drooping, many-flowered. Flowers variable, about 2 inches in diameter, sepals and petals yellowish-green, barred and blotched with dark brown; lip spreading, white,. Blooms at various times and remains in bloom for a long time.

Oncidium Marshallianum: Pseudobulbs about 3 inches, leaves about 10 inches tall, scapes about 3 feet high, branched. Flowers are large variable, sepals yellow, barred with reddish-brown. Lip large, spreading bright-yellow, the base and crest spotted with orange-red. Summer. 4.50

Oncidium ornithorinchum: Pseudobulbs oval-oblong, about 3 inches high, leaves about 8 inches high, scapes arching, branched, about 12 inches long, many flowered. Flowers very fragrant, nearly 1 inch across, soft rose-lilac in color. Winter.

Oncidium papilio: Pseudobulbs flattish, round in outline; leaves about 8 inches long. Long scapes produce many flowers, one after another. Flowers large, dorsal sepal and petals 3-5 inches long, narrow, broadest at their apices, nearly erect, reddish-crimson. Lateral sepals large, decurved, chestnut-red, with transverse yellow bars. Lip canaryyellow, broadly margined with bright-red, Various.

4.00

Oncidium varicosum var. Rogersii: A very handsome species. Pseudobulbs oval-oblong, furrowed, 3-4 inches high. Leaves about 6 inches high, scapes 3 feet long, branched, arching. Flowers variable, sepals and petals small, yellow, barred with red-brown; lip large, spreading, brightyellow. Fall and winter.

Oncidium splendidum: Pseudobulbs roundish, about 2 inches tall, very stiff single leaves, about 12 inches long; scapes stout, erect, branched, about 2-3 feet high. Flowers large, sepals and petals yellow, barred and blotched with rich-brown, recurved at the tips. Lip is large, flat, clear-yellow. Summer and various.

4.00

Phalaenopsis Esmeralda: Leaves 5-8 inches long, rounded, purplish beneath; scapes erect, slender, 15 inches or more high, many-flowered. Flowers about 1 inch across, variable in color; sepals and petals light or dark amethyst, lip three-lobed, deep-purple. Late summer. 3.00

Renanthera coccinea: Closely allied to Vandas, and requiring similar treatment. Height about 3 inches leaves 4-5 inches long, leathery, scapes long, branched, many-flowered. Flowers 3-4 inches in vertical diameter, upper sepal and petals narrow, blood-red, spotted with yellow. Lower sepals large, narrowest basally, bright-vermillion-red. Lip small, yellow and red. Various.

Rhynchostylis coelestis: Height about 10 inches, leaves 4-6 inches long, scapes erect, densely-flowered. Flowers about 3/4 inch in diameter, all segments white, sepals and petals tipped with indigo-blue and the apical half of the lip the same color. Many flowers on cylindrical racemes, produced from the axels of the leaves. Summer.

3.50

,		Each
	to above, but scapes are pendulous, petals white, spotted with amethysto purple. Summer.	
4 flowers. Blooms nearly 3 inc	t 2 feet long, drooping scapes, 1 to ches across, light-yellow, spotted n; crest of lip orange-yellow. Does and various.	4.50
	ed-like stems, about 2 feet tall, flow ay-yellow, lip of a darker yellow. Th	
treatment. Slender stems, about scapes about 6 inches long, 4 to	tis) Allied to Vandas and requiring sout 18 inches tall, leaves 3-4 inches to 9 flowered. Blooms about 2 inches chestnut-brown, barred with yellow with red-brown. Summer.	long,'
leaves about 6 inches long. Flotwisted, pale-rose, margined w	bs compressed, about 2 inches high, owers large, sepals and petals narro with pale yellow-green, lip white, blo largin crisped and undulated. Variou	ow, otched
	feet high, leaves about 5 inches longers, flowers large, handsome, cross. Fall.	g, 5,00
blooms are about 2 1/2 inches ve	a: Similar in habit to coerulea, but ertically; sepals and petals ivory-whi ated with green. Early summer.	ite, 4,50
	na: Sepals and petals bronze-red, s base. Mid-lobe of lip magenta-purp	
about 12 inches long, scapes about 3 inches across very yellowish-green, blotched with with violet-purple, arranged in	oulbs ovoid, 2-3 inches high, leaves out 20 inches tall, several-flowered crtically; sepals and petals light purplish-brown; lip broad, white, s lines; crest ridged. Fragrant. Fal	treaked
and winter.		4.00